










# Product Portfolio 2020








## WD 150/WD 425



Racks and Accessories

ARTICLE NUMBER	ARTICLE
<b>RACKS FOR INSTRUMENTS</b>	
<p>870145</p> 	<p><b>Rack Instruments 2 Level</b></p> <p>Rack for Instruments</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• L x W x H = 540 x 520 x 380 mm</li> <li>• 4 possible connections for additional manifolds</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 4 standard trays (L x W = 485 x 260 mm)</li> <li>• Level height H = 292 mm</li> <li>• Recommended loading height per level H = 292 mm</li> </ul>
<p>870147</p> 	<p><b>Rack Instruments 3 Level</b></p> <p>Rack for Instruments</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 520 x 380 mm</li> <li>• 12 possible connections for additional manifolds</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 6 standard trays (L x W = 485 x 260 mm)</li> <li>• Level height H = 119 mm</li> <li>• Recommended loading height per level H = 119 mm</li> </ul>
<p>870149</p> 	<p><b>Rack Instruments 4 Level</b></p> <p>Rack for Instruments</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 520 x 430 mm</li> <li>• 14 possible connections for additional manifolds</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 8 standard trays (L x W = 485 x 260 mm)</li> <li>• Level height H = 74 mm</li> <li>• Recommended loading height per level H = 74 mm</li> </ul>
<b>RACK FOR MIS INSTRUMENTS</b>	
<p>870064</p> 	<p><b>Rack MIS Basic</b></p> <p>Rack for Instruments with Lumens</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 520 x 452 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 2 standard trays (L x W = 485 x 260 mm)</li> <li>• 2 trays for small parts</li> <li>• Level height H = 62 mm</li> <li>• Recommended loading height per level H = 62 mm</li> <li>• Space for 60 instruments up to length L = 450 mm</li> </ul>
<b>RACK FOR ANESTHESIA INSTRUMENTS</b>	
<p>870078</p> 	<p><b>Rack Anesthesia</b></p> <p>Rack for Anesthesia material</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 520 x 490 mm</li> <li>• With tube tower</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• Tube tower with 15 connections for breathing tubes Ø 21 mm max. 1.5 m length</li> <li>• 3 breathing bags</li> <li>• 5 breathing masks</li> <li>• 5 laryngeal masks</li> <li>• 5 catheter</li> <li>• 5 endotracheal tubes</li> <li>• Space for other varied instruments</li> </ul>

ARTICLE NUMBER	ARTICLE
<b>RACK FOR OR SHOES</b>	
<p>109-9422</p> 	<p><b>Rack OR Shoes 2 Level</b></p> <p>Rack for OR Shoes 2 Level</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 525 x 445 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• Upper Level: <ul style="list-style-type: none"> <li>• 10 OR shoes up to size 9.5/11 or 8 OR shoes up to size 13</li> </ul> </li> <li>• Lower Level: <ul style="list-style-type: none"> <li>• 24 OR shoes up to size 9.5/11 or 20 OR shoes up to size 13 (without upper level)</li> </ul> </li> </ul>
<b>RACK FOR DENTAL INSTRUMENTS</b>	
<p>870092</p> 	<p><b>Rack Dental Instruments</b></p> <p>Rack for Dental Instruments</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 520 x 320 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 56 connections for dental instruments</li> </ul>
<b>RACK FOR ENT INSTRUMENTS</b>	
<p>820394</p> 	<p><b>Rack ENT</b></p> <p>Rack for ENT Instruments</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 520 x 452 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 2 standard trays (L x W = 485 x 260 mm)</li> <li>• 9 connections for tubes</li> <li>• 12 Luer Lock male connections</li> <li>• 2 Luer Lock female connections</li> <li>• 4 connections for catheters</li> <li>• 3 connections for jets</li> </ul>
<b>RACK FOR LABORATORY APPLICATIONS</b>	
<p>870113</p> 	<p><b>Rack LAB Pipettes</b></p> <p>Rack for Pipettes</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W = 540 x 520 x 340 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• Up to 60 pipettes in a sloped position</li> </ul>

ARTICLE NUMBER	ARTICLE
<b>RACKS FOR BABY BOTTLES</b>	
<p>870335</p> 	<p><b>Rack Baby Bottles</b></p> <p>Rack for Baby Bottles</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 520 x 410 mm</li> <li>• Without inserts</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• Up to 2 inserts for babybottles</li> <li>• Additional level for 4 standard trays (L x W = 485 x 260 mm)</li> <li>• Level height H = 60 mm</li> </ul> <p><b>Characteristics</b></p> <ul style="list-style-type: none"> <li>• 42 connections for jets</li> </ul>
<b>RACK INSERTS</b>	
<p>870103</p> 	<p><b>Rack Lower Insert</b></p> <p>Rack Insert Lower Level</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 500 x 125 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• Recommended loading height per level H = 500 mm</li> </ul>
<p>870084</p> 	<p><b>Rack Lower Insert with Splitgrid</b></p> <p>Rack Insert Lower Level with Split Grid</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 500 x 125 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• Recommended loading height per level H = 500 mm</li> </ul>
<p>870080</p> 	<p><b>Rack OR Shoes Lower Insert</b></p> <p>Rack Insert Lower Level for OR Shoes</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 500 x 270 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 24 OR shoes up to size 14</li> </ul>
<p>870100</p> 	<p><b>Rack LAB Lower Insert 56 Jets</b></p> <p>Rack Insert Lower Level with Jets</p> <ul style="list-style-type: none"> <li>• Compatible with WD 150/WD 425</li> <li>• Dimensions L x W x H = 540 x 500 x 350 mm</li> <li>• Jets included</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 56 Spring-plugs for jets</li> </ul>





ARTICLE NUMBER		ARTICLE		Rack Instruments	Rack Anesthesia
<b>ACCESSORIES – RACKS/INSTRUMENTS</b>					
593993-3		<b>DIN Tray 1/1 H50</b> Tray for Instruments <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 485 x 260 x 50 mm</li> <li>• Mesh size = 4 x 4 mm</li> </ul>		X	
870160		<b>DIN Tray 1/1 H80</b> Tray for Instruments <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 485 x 260 x 80 mm</li> <li>• Mesh size = 4 x 4 mm</li> <li>• Without lid</li> </ul>		X	
870161		<b>Lid for DIN Tray 1/1</b> Instrument Tray Lid <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 467 x 242 x 6.5 mm</li> <li>• Mesh size = 4 x 4 mm</li> </ul>		X	
594536		<b>DIN Tray 1/2 H50</b> Tray for Instruments <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 243 x 260 x 50 mm</li> <li>• Mesh size = 4 x 4 mm</li> </ul>		X	
678393-3		<b>Tray for Micro Instruments</b> Tray with Lid for Micro Instruments <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 485 x 250 x 60 mm</li> <li>• Mesh size = 1 x 1 mm</li> </ul>		X	
888651-3		<b>AN Tray for Small Parts</b> Tray for Small Anesthesia Instrument Parts <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 180 x 100 x 100 mm</li> <li>• Mesh size = 4 x 4 mm</li> <li>• Maximum 2 trays per Rack Anesthesia</li> </ul>		X	X




ARTICLE NUMBER	ARTICLE	
<b>SYSTEM TRAYS</b>		
<p>110-0539</p> 	<p><b>System Tray DIN</b></p> <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 472 x 236 x 48 mm</li> <li>• 4 flexible silicone supports L = 230 mm</li> <li>• Silicone cushions</li> </ul>	X
<p>110-0540</p> 	<p><b>System Tray 1/2 DIN</b></p> <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 236 x 236 x 48 mm</li> <li>• 2 flexible silicone supports L = 230 mm</li> <li>• Silicone cushions</li> </ul>	X
<p>110-0542</p> 	<p><b>System Tray 1/4 DIN</b></p> <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 236 x 110 x 48 mm</li> <li>• 5 silicone knob supports L = 110 mm</li> <li>• Silicone cushions</li> </ul>	X
<p>110-0545</p> 	<p><b>Silicone Cover System Tray DIN</b></p> <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 470 x 236 x 15 mm</li> <li>• Flexible silicone grid</li> </ul>	X

		Rack Instruments	Rack MIS Basic	Rack LAB 56 Jets
ARTICLE NUMBER	ARTICLE			
<b>ACCESSORIES – RACKS FOR MIS INSTRUMENTS</b>				
778935-3	<b>MIS Tray</b> Tray with Lid for Detachable MIS Instruments <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 485 x 250 x 65 mm</li> <li>• Mesh size = 3 x 3 mm</li> </ul>	X	X	
772521-3	<b>MIS Tray for Small Parts</b> Tray with Lid for Small MIS Instrument Parts <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 274 x 172 x 42 mm</li> <li>• Mesh size = 4 x 4 mm</li> </ul>	X	X	
870203-3	<b>Cap for Spring-Plug</b> Cap to close Spring-Plugs which are not in use		X	X
870038	<b>Jet L90 D4 Spring-Plug</b> Spring-Plug Jet for <ul style="list-style-type: none"> <li>• Dimensions D = Ø 4 mm, L = 90 mm</li> </ul>		X	X
870039	<b>Jet L150 D4 Spring-Plug</b> Spring-Plug Jet for <ul style="list-style-type: none"> <li>• Dimensions D = Ø 4 mm, L = 150 mm</li> </ul>		X	X
870040	<b>Jet L190 D6 Spring-Plug</b> Spring-Plug Jet for <ul style="list-style-type: none"> <li>• Dimensions D = Ø 6 mm, L = 190 mm</li> </ul>		X	X




ARTICLE NUMBER		ARTICLE		Rack MIS Basic	Rack LAB 56 Jets
<b>ACCESSORIES – RACKS FOR MIS INSTRUMENTS</b>					
870041		<b>Jet L300 D8 Spring-Plug</b> Spring-Plug Jet for • Dimensions D = Ø 8 mm, L = 300 mm		X	X
686429		<b>Plug for MIS Basic Silicone Insert</b> Plug to close Silicone Insert when not in use		X	
175892		<b>Jet L30 D3 Silicone Insert</b> Silicone Insert Jet for • Dimensions D = Ø 3 mm, L = 30 mm		X	
175893		<b>Jet L30 D4 Silicone Insert</b> Silicone Insert Jet for • Dimensions D = Ø 4 mm, L = 30 mm		X	
175955		<b>Jet L45 D3 Silicone Insert</b> Silicone Insert Jet for • Dimensions D = Ø 3 mm, L = 45 mm		X	
175956		<b>Jet L45 D4 Silicone Insert</b> Silicone Insert Jet for • Dimensions D = Ø 4 mm, L = 45 mm		X	



ARTICLE NUMBER		ARTICLE		Rack MIS Basic	Rack Anesthesia
<b>ACCESSORIES – RACKS FOR MIS INSTRUMENTS</b>					
870043		<b>Jet Multi Diameter Silicone Insert</b> Silicone Insert Jet for <ul style="list-style-type: none"> <li>Includes different diameters for tubes</li> <li>Dimensions D1 = Ø 4 mm, D2 = Ø 6 mm, D3 = Ø 8 mm, D4 = Ø 10 mm</li> </ul>		X	
870046		<b>Tube Reel</b> Tube Reel for Reprocessing Tubes			
817733		<b>Tube Holder L170</b> Tube Holder for Suction Tubes <ul style="list-style-type: none"> <li>Dimension L = 170 mm</li> </ul>			X
818707		<b>Tube Holder L100</b> Tube Holder for Suction Tubes <ul style="list-style-type: none"> <li>Dimension L = 100 mm</li> </ul>			X






ARTICLE NUMBER	ARTICLE	
<b>ACCESSORIES – RACKS FOR LABORATORY APPLICATIONS</b>		
<p data-bbox="134 528 225 551"><b>870206-3</b></p> 	<p data-bbox="513 528 740 551"><b>Jet L180 LAB Spring-Plug</b></p> <p data-bbox="513 568 660 591">Spring-Plug Jet for</p> <ul data-bbox="513 609 874 658" style="list-style-type: none"> <li>• Dimensions D = Ø 4 mm, L = 180 mm</li> <li>• Includes jet attachment for lab applications</li> </ul>	<p data-bbox="1453 674 1474 703">X</p>
<p data-bbox="134 842 225 864"><b>870212-3</b></p> 	<p data-bbox="513 842 740 864"><b>Jet L240 LAB Spring-Plug</b></p> <p data-bbox="513 882 660 904">Spring-Plug Jet for</p> <ul data-bbox="513 922 874 972" style="list-style-type: none"> <li>• Dimensions D = Ø 6 mm, L = 240 mm</li> <li>• Includes jet attachment for lab applications</li> </ul>	<p data-bbox="1453 987 1474 1016">X</p>
<p data-bbox="134 1149 209 1171"><b>870208</b></p> 	<p data-bbox="513 1149 740 1171"><b>Jet L300 LAB Spring-Plug</b></p> <p data-bbox="513 1189 660 1211">Spring-Plug Jet for</p> <ul data-bbox="513 1229 874 1279" style="list-style-type: none"> <li>• Dimensions D = Ø 8 mm, L = 300 mm</li> <li>• Includes jet attachment for lab applications</li> </ul>	<p data-bbox="1453 1294 1474 1323">X</p>

		Rack Instruments 2 Level	Rack Baby Bottles
ARTICLE NUMBER	ARTICLE		
<b>ACCESSORIES – RACKS FOR BABY BOTTLES</b>			
817302-3	<p><b>Basket Baby Bottles 90mL</b></p> <p>Basket with Lid for Baby Bottles 90 mL</p> <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 427 x 187 x 114 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 21 baby bottles, 90 mL</li> <li>• Maximum bottle height H = 93 mm</li> <li>• Maximum bottle diameter D = Ø 56 mm</li> <li>• Up to 6 baskets for WD 290/WD 390</li> </ul>	X	X
771287-3	<p><b>Basket Baby Bottles 125mL</b></p> <p>Basket with Lid for Baby Bottles 125 mL</p> <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 427 x 187 x 120 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 21 bottles, 125 mL</li> <li>• Maximum bottle height H = 100 mm</li> <li>• Maximum bottle diameter D = Ø 56 mm</li> <li>• Up to 6 baskets for WD 290/WD 390</li> </ul>	X	X
773843	<p><b>Basket Baby Bottles 250mL</b></p> <p>Basket with Lid for Baby Bottles 250 mL</p> <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 427 x 187 x 190 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 21 bottles, 250 mL</li> <li>• Maximum bottle height H = 175 mm</li> <li>• Maximum bottle diameter D = Ø 56 mm</li> <li>• Up to 6 baskets for WD 290/WD 390</li> </ul>	X	X
687860	<p><b>Basket Baby Bottle Nipples</b></p> <p>Basket with Lid for Baby Bottle Nipples</p> <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 427 x 187 x 50 mm</li> <li>• Mesh size = 10 x 10 mm</li> <li>• Ground mesh size = 15 x 15 mm</li> </ul> <p><b>Loading capacity</b></p> <ul style="list-style-type: none"> <li>• 36 baby bottle nipples</li> <li>• Up to 6 baskets for WD 290/WD 390</li> </ul>	X	X

ARTICLE NUMBER		ARTICLE		Rack Instruments 2 Level	Rack Baby Bottles
<b>ACCESSORIES – RACKS FOR BABY BOTTLES</b>					
817313		<b>Basket Wideneck Baby Bottle Nipples</b> Basket with Lid for Wideneck Baby Bottle Nipples <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 427 x 187 x 61 mm</li> <li>• Mesh size = 10 x 10 mm</li> </ul> <b>Loading capacity</b> <ul style="list-style-type: none"> <li>• 36 wideneck baby bottle nipples</li> <li>• Up to 6 baskets for WD 290/WD 390</li> </ul>		X	X
812260		<b>Basket Baby Bottle Covers</b> Basket with Lid for Baby Bottle Covers <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 427 x 187 x 19 mm</li> <li>• Mesh size = 10 x 10 mm</li> </ul> <b>Loading capacity</b> <ul style="list-style-type: none"> <li>• 36 baby bottle covers</li> <li>• Up to 6 baskets for WD 290/WD 390</li> </ul>		X	X
812060		<b>Basket Milk Pumps</b> Basket with Lid for Milk Pumps <ul style="list-style-type: none"> <li>• Dimensions L x W x H = 427 x 187 x 136 mm</li> </ul> <b>Loading capacity</b> <ul style="list-style-type: none"> <li>• 10 milk pumps</li> <li>• Up to 6 baskets for WD 290/WD 390</li> </ul>		X	X







ARTICLE NUMBER	ARTICLE
<b>RACK PORTS AND FLUSHING MANIFOLDS</b>	
<b>110-0523</b> 	<b>Connector Rack for Flushing Manifold</b> <ul style="list-style-type: none"> <li>• Rack connector self closing, for flushing manifolds and port adapters</li> <li>• Suitable for spring-plug flushing port on the rack</li> </ul>
<b>110-0524</b> 	<b>Connector Rack M8 for Flushing Manifold</b> <ul style="list-style-type: none"> <li>• Rack connector self closing, for flushing manifolds and port adapters</li> <li>• Suitable for M8 port on the rack</li> </ul>
<b>110-0526</b> 	<b>Flushing Manifold for Port Adapter</b> <ul style="list-style-type: none"> <li>• 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm</li> <li>• Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"</li> </ul>
<b>110-0527</b> 	<b>Flushing Manifold FX for Port Adapter</b> <ul style="list-style-type: none"> <li>• 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm</li> <li>• Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"</li> <li>• With tray fixation (FX)</li> <li>• Includes L-Key TX25</li> </ul>

ARTICLE NUMBER	ARTICLE
<b>RACK PORTS AND FLUSHING MANIFOLDS</b>	
<p>110-0528</p> 	<p><b>Flushing Manifold for LLF Adapter</b></p> <ul style="list-style-type: none"> <li>• 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter</li> <li>• Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"</li> </ul>
<p>110-0529</p> 	<p><b>Flushing Manifold FX for LLF Adapter</b></p> <ul style="list-style-type: none"> <li>• 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter</li> <li>• Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"</li> <li>• With tray fixation (FX)</li> <li>• Includes L-Key TX25</li> </ul>
<p>110-0530</p> 	<p><b>Manifold FX Filter for LLF Adapter</b></p> <ul style="list-style-type: none"> <li>• 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter</li> <li>• Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"</li> <li>• With tray fixation (FX)</li> <li>• With integrated filter</li> <li>• Includes L-Key TX25</li> </ul>
<p>110-0525</p> 	<p><b>Filter Cylinder FX for LLF Adapter</b></p> <ul style="list-style-type: none"> <li>• 4 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter</li> <li>• Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"</li> <li>• With tray fixation (FX)</li> <li>• With integrated filter</li> </ul>








ARTICLE NUMBER	ARTICLE
<b>PRODUCT CONNECTORS</b>	
<b>110-0531</b> 	<b>Product Connector LLM with Port Adapter</b> <ul style="list-style-type: none"> <li>• Port adapter suitable for port caps, D = Ø 5 mm, green</li> <li>• Luer Lock Male (LLM) connector</li> <li>• Silicone tube D = Ø 4 mm, L = 300 mm</li> </ul>
<b>110-0532</b> 	<b>Product Connector LLF with Port Adapter</b> <ul style="list-style-type: none"> <li>• Port adapter suitable for port caps, D = Ø 5 mm, green</li> <li>• Luer Lock Female (LLF) connector</li> <li>• Silicone tube D = Ø 4 mm, L = 300 mm</li> </ul>
<b>110-0533</b> 	<b>Product Connector 2 x LLF</b> <ul style="list-style-type: none"> <li>• 2 Luer Lock Female (LLF) connectors</li> <li>• Silicone tube D = Ø 4 mm, L = 300 mm</li> </ul>
<b>110-0534</b> 	<b>Product Connector LLF and LLM</b> <ul style="list-style-type: none"> <li>• Luer Lock Female (LLF) connector</li> <li>• Luer Lock Male (LLM) connector</li> <li>• Silicone tube D = Ø 4 mm, L = 300 mm</li> </ul>
<b>PORT ADAPTERS</b>	
<b>1023228</b> 	<b>Port Adapter Module+ grey</b> <ul style="list-style-type: none"> <li>• 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• 6 port adapters D = Ø 10 mm</li> <li>• Premounted as port adapter</li> <li>• Port Adapters can be connected to the port caps Module+</li> </ul>

ARTICLE NUMBER	ARTICLE
<b>PORT ADAPTERS</b>	
<p>110-0551</p> 	<p><b>Port Adapter D2 Red</b></p> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm</li> <li>• 6 port adapters D = Ø 10 mm</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0552</p> 	<p><b>Port Adapter D3 Blue</b></p> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm</li> <li>• 6 port adapters D = Ø 10 mm</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0554</p> 	<p><b>Port Adapter D4-8 Grey</b></p> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• 6 port adapters D = Ø 10 mm</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0555</p> 	<p><b>Port Adapter Caps punched Natural</b></p> <ul style="list-style-type: none"> <li>• 6 port caps punched, natural</li> <li>• 6 port adapter with tapered jet</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0557</p> 	<p><b>Port Adapter open D8 Natural</b></p> <ul style="list-style-type: none"> <li>• 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm</li> <li>• 6 port adapters D = Ø 10 mm</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0565</p> 	<p><b>Port Adapter open D10 Blue</b></p> <ul style="list-style-type: none"> <li>• 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm</li> <li>• 6 port adapters D = Ø 12 mm</li> <li>• Premounted as port adapter</li> </ul>




ARTICLE NUMBER	ARTICLE
<b>PORT ADAPTER</b>	
<p>110-0566</p> 	<p><b>Port Adapter open D4-8 Grey</b></p> <ul style="list-style-type: none"> <li>• 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• 6 port adapters D = Ø 12 mm</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0567</p> 	<p><b>Port Adapter LLF</b></p> <ul style="list-style-type: none"> <li>• 6 port adapters Luer Lock Female (LLF) with port adapter</li> </ul>
<p>110-0568</p> 	<p><b>Port Adapter LLM</b></p> <ul style="list-style-type: none"> <li>• 6 port adapters Luer Lock Male (LLM) with port adapter</li> </ul>
<p>110-0569</p> 	<p><b>Port Adapter Catheter D7</b></p> <ul style="list-style-type: none"> <li>• Port adapter catheter D = Ø 7 mm, L = 310 mm, perforated, with port adapter</li> </ul>
<p>110-0570</p> 	<p><b>Port Adapter Catheter D10</b></p> <ul style="list-style-type: none"> <li>• Port adapter catheter D = Ø 10 mm, L = 310 mm, perforated, with port adapter</li> </ul>
<p>110-0571</p> 	<p><b>Port Adapter Phaco</b></p> <ul style="list-style-type: none"> <li>• Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap</li> <li>• Port adapter D = Ø 10 mm</li> <li>• Luer Lock Female (LLF) connector</li> <li>• Luer Male (LM) connector</li> <li>• Premounted as port adapter</li> <li>• For phaco eye instrument set</li> </ul>








ARTICLE NUMBER	ARTICLE
<b>PORT ADAPTER</b>	
<p>110-0572</p> 	<p><b>Port Adapter 2 x LLM</b></p> <ul style="list-style-type: none"> <li>• Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap</li> <li>• Port adapter D = Ø 10 mm</li> <li>• 2 Luer Lock Male (LLM) connectors</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0573</p> 	<p><b>Port Adapter 2 x D4-8 Grey</b></p> <ul style="list-style-type: none"> <li>• Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap</li> <li>• Port adapter D = Ø 12 mm</li> <li>• 2 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0574</p> 	<p><b>Port Adapter 2 x Tapered Jet</b></p> <ul style="list-style-type: none"> <li>• Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap</li> <li>• Port adapter D = Ø 10 mm</li> <li>• 2 tapered jets</li> <li>• Premounted as port adapter</li> </ul>
<p>110-0587</p> 	<p><b>Port Adapter Jet L80</b></p> <ul style="list-style-type: none"> <li>• 3 port adapter jets D = Ø 3 mm, L = 80 mm, with port adapter</li> </ul>
<p>110-0588</p> 	<p><b>Port Adapter Jet L120</b></p> <ul style="list-style-type: none"> <li>• 3 port adapter jets D = Ø 4 mm, L = 120 mm, with port adapter</li> </ul>
<p>110-0589</p> 	<p><b>Port Adapter Jet L180</b></p> <ul style="list-style-type: none"> <li>• 3 port adapter jets D = Ø 6 mm, L = 180 mm, with port adapter</li> </ul>


ARTICLE NUMBER	ARTICLE
<b>LLF ADAPTERS</b>	
<b>1023229</b> 	<b>LLF Adapter Module+ grey</b> <ul style="list-style-type: none"> <li>• 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• 6 port adapters D = Ø 10 mm</li> <li>• Premounted as LLF adapter</li> <li>• Port Adapters can be connected to the port caps Module+</li> </ul>
<b>110-0575</b> 	<b>LLF Adapter D2 Red</b> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm</li> <li>• 6 LLF port adapters D = Ø 10 mm</li> <li>• Premounted as LLF adapter</li> </ul>
<b>110-0576</b> 	<b>LLF Adapter D3 Blue</b> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm</li> <li>• 6 LLF port adapters D = Ø 10 mm</li> <li>• Premounted as LLF adapter</li> </ul>
<b>110-0577</b> 	<b>LLF Adapter D5 Green</b> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm</li> <li>• 6 LLF port adapters D = Ø 10 mm</li> <li>• Premounted as LLF adapter</li> </ul>
<b>110-0578</b> 	<b>LLF Adapter D4-8 Grey</b> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• 6 LLF port adapters D = Ø 10 mm</li> <li>• Premounted as LLF adapter</li> </ul>
<b>110-0579</b> 	<b>LLF Adapter Cap punched Natural</b> <ul style="list-style-type: none"> <li>• 6 port caps punched, natural</li> <li>• 6 LLF port adapters with tapered jet</li> <li>• Premounted as LLF adapter</li> </ul>
<b>110-0580</b> 	<b>LLF Adapter open D8 Natural</b> <ul style="list-style-type: none"> <li>• 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm</li> <li>• 6 LLF port adapters D = Ø 10 mm</li> <li>• Premounted as LLF adapter</li> </ul>

ARTICLE NUMBER	ARTICLE
<b>LLF ADAPTERS</b>	
<p>110-0581</p> 	<p><b>LLF Adapter open D10 Blue</b></p> <ul style="list-style-type: none"> <li>• 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm</li> <li>• 6 LLF port adapters D = Ø 12 mm</li> <li>• Premounted as LLF adapter</li> </ul>
<p>110-0582</p> 	<p><b>LLF Adapter open D4-8 Grey</b></p> <ul style="list-style-type: none"> <li>• 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• 6 LLF port adapters D = Ø 12 mm</li> <li>• Premounted as LLF adapter</li> </ul>
<p>110-0583</p> 	<p><b>LLF Adapter Phaco</b></p> <ul style="list-style-type: none"> <li>• Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap</li> <li>• LLF port adapter D = Ø 10 mm</li> <li>• Luer Lock Female (LLF) connector</li> <li>• Luer Male (LM) connector</li> <li>• Premounted as LLF adapter</li> <li>• For phaco eye instrument set</li> </ul>
<p>110-0584</p> 	<p><b>LLF Adapter 2 x LLM</b></p> <ul style="list-style-type: none"> <li>• Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap</li> <li>• LLF port adapter D = Ø 10 mm</li> <li>• 2 Luer Lock Male (LLM) port</li> <li>• Premounted as LLF adapter</li> </ul>
<p>110-0585</p> 	<p><b>LLF Adapter 2 x D4-8 Grey</b></p> <ul style="list-style-type: none"> <li>• Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap</li> <li>• LLF port adapter D = Ø 12 mm</li> <li>• 2 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• Premounted as LLF adapter</li> </ul>
<p>110-0586</p> 	<p><b>LLF Adapter 2 x Tapered Jet</b></p> <ul style="list-style-type: none"> <li>• Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap</li> <li>• LLF port adapter D = Ø 10 mm</li> <li>• 2 tapered jets</li> <li>• Premounted as LLF adapter</li> </ul>

ARTICLE NUMBER	ARTICLE
<b>REPLACEMENT PARTS</b>	
<b>110-0645</b> 	<b>Replacement Standard Filtration Blue</b> <ul style="list-style-type: none"> <li>• 3 filter sets with each 1 filter and 1 silicone ring, blue</li> <li>• Standard filtration for lumened instruments</li> <li>• Mesh size 0.13-0.14 mm</li> </ul>
<b>110-0590</b> 	<b>Replacement Fine Filtration Red</b> <ul style="list-style-type: none"> <li>• 3 filter sets with each 2 filters and 1 silicone ring, red</li> <li>• Fine filtration for lumened instruments with high requirements</li> <li>• Mesh size below 0.08 mm</li> </ul>
<b>1023230</b> 	<b>Replacement Port Caps Module+ grey</b> <ul style="list-style-type: none"> <li>• 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• Suitable for port adapter D = Ø 10 mm</li> </ul>
<b>110-0592</b> 	<b>Replacement Port Caps D2 Red</b> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm</li> <li>• Suitable for port adapter D = Ø 10 mm</li> </ul>
<b>110-0593</b> 	<b>Replacement Port Caps D3 Blue</b> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm</li> <li>• Suitable for port adapter D = Ø 10 mm</li> </ul>
<b>110-0594</b> 	<b>Replacement Port Caps D5 Green</b> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm</li> <li>• Suitable for port adapter D = Ø 10 mm and flushing manifold</li> </ul>
<b>110-0596</b> 	<b>Replacement Port Caps D4-8 Grey</b> <ul style="list-style-type: none"> <li>• 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• Suitable for port adapter D = Ø 10 mm</li> </ul>

ARTICLE NUMBER	ARTICLE
<b>REPLACEMENT PARTS</b>	
<p data-bbox="134 286 225 309">110-0597</p> 	<p data-bbox="512 286 879 309"><b>Replacement Port Caps punched Natural</b></p> <ul data-bbox="512 331 895 383" style="list-style-type: none"> <li>• 6 port caps punched, natural</li> <li>• Suitable for port adapter cap punched natural</li> </ul>
<p data-bbox="134 542 225 564">110-0598</p> 	<p data-bbox="512 542 879 564"><b>Replacement Port Caps open D8 Natural</b></p> <ul data-bbox="512 586 1118 638" style="list-style-type: none"> <li>• 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm</li> <li>• Suitable for port adapter D = Ø 10 mm</li> </ul>
<p data-bbox="134 797 225 819">110-0599</p> 	<p data-bbox="512 797 863 819"><b>Replacement Port Caps open D10 Blue</b></p> <ul data-bbox="512 842 1118 893" style="list-style-type: none"> <li>• 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm</li> <li>• Suitable for port adapter D = Ø 12 mm</li> </ul>
<p data-bbox="134 1052 225 1075">110-0646</p> 	<p data-bbox="512 1052 871 1075"><b>Replacement Port Caps open D4-8 Grey</b></p> <ul data-bbox="512 1097 1086 1149" style="list-style-type: none"> <li>• 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm</li> <li>• Suitable for port adapter D = Ø 12 mm</li> </ul>
<p data-bbox="134 1308 225 1330">110-0601</p> 	<p data-bbox="512 1308 815 1330"><b>Replacement Silicone Tubes L300</b></p> <ul data-bbox="512 1352 879 1404" style="list-style-type: none"> <li>• 10 silicone tubes, D = Ø 4 mm, L = 300 mm</li> <li>• Suitable for "Product Connectors"</li> </ul>
<p data-bbox="134 1563 225 1585">110-0602</p> 	<p data-bbox="512 1563 815 1585"><b>Replacement Silicone Tubes L200</b></p> <ul data-bbox="512 1608 1134 1682" style="list-style-type: none"> <li>• 5 double silicone tubes 2 x D = Ø 2 mm, L = 200 mm, with attached port cap</li> <li>• With silicone tube cuffs</li> <li>• Suitable for adapters</li> </ul>
<p data-bbox="134 1818 225 1841">110-0603</p> 	<p data-bbox="512 1818 815 1841"><b>Replacement Silicone Tubes L600</b></p> <ul data-bbox="512 1863 959 1915" style="list-style-type: none"> <li>• 5 silicone tubes D = Ø 6 mm, L = 600 mm</li> <li>• Suitable for "Flushing Manifolds" and "Filter Cylinder"</li> </ul>

ARTICLE NUMBER	ARTICLE
<b>REPLACEMENT PARTS</b>	
<p>1005264</p> 	<p><b>Replacement Silicone Tubes L2000</b></p> <ul style="list-style-type: none"> <li>• 1 silicone tube D = Ø 4 mm, L = 2000 mm</li> <li>• Suitable for "Product Connectors" for individual length</li> </ul>
<p>110-0604</p> 	<p><b>Replacement Silicone Supports L230</b></p> <ul style="list-style-type: none"> <li>• 4 flexible silicone supports L = 230 mm</li> <li>• Includes mounting</li> <li>• Suitable for one "System Tray DIN"</li> <li>• Suitable for two "System Trays 1/2 DIN"</li> </ul>
<p>110-0605</p> 	<p><b>Replacement Silicone Supports L110</b></p> <ul style="list-style-type: none"> <li>• 5 silicone knob supports L = 110 mm</li> <li>• Suitable for two "System Trays 1/4 DIN"</li> </ul>
<p>110-0606</p> 	<p><b>Replacement Silicone Supports L160</b></p> <ul style="list-style-type: none"> <li>• 4 flexible silicone supports L = 160 mm</li> <li>• Suitable for one "Mix Tray" with 2 instrument lifts</li> </ul>
<p>110-0607</p> 	<p><b>Replacement Silicone Cushions</b></p> <ul style="list-style-type: none"> <li>• 10 silicone cushions</li> <li>• Suitable for trays and other applications</li> </ul>
<p>110-0608</p> 	<p><b>Replacement Silicone Tray Fixation</b></p> <ul style="list-style-type: none"> <li>• 10 silicone elements</li> <li>• Suitable for fixation of cassettes within a "System Tray" or "Mix Tray"</li> </ul>
<p>110-0609</p> 	<p><b>Replacement Silicone Flaps Mix</b></p> <ul style="list-style-type: none"> <li>• 4 silicone flaps for Mix Tray connector</li> <li>• Suitable for Rack MIS Multitop and Rack Mixed Instruments</li> </ul>



**International headquarters**

**Switzerland**

Belimed AG  
 Headquarter  
 Grienbachstrasse 11  
 6300 Zug  
 Phone +41-41-449-7888  
 info@belimed.com

**Germany**

Belimed GmbH  
 Edisonstraße 7a  
 84453 Mühldorf am Inn  
 Phone +49-8631-9896-0  
 info.de@belimed.com

**France**

Belimed SAS  
 Parc Espale  
 1, av. Pierre Pflimlin  
 68390 Sausheim  
 Phone +33-3-8963-6540  
 info.fr@belimed.com

**Great Britain**

Belimed Ltd.  
 Unit 4, Newbuildings Place  
 Dragons Green Road  
 Shipley (Horsham)  
 West Sussex, RH13 8GQ  
 Phone+44-1403-738-811  
 info.uk@belimed.com

**Netherlands**

Belimed B.V.  
 Vlambloem 65  
 3068 JG Rotterdam  
 Phone +31-10-286-1750  
 info.nl@belimed.com

**Austria**

Belimed GmbH  
 Triesterstraße 238  
 8073 Feldkirchen  
 Phone+43-316-291129-0  
 info.at@belimed.com

**USA**

Belimed, Inc.  
 Corporate Office Address  
 1535 Hobby Street  
 Suite 103  
 US-Charleston, SC 29405  
 Phone +1-843-216-7424  
 info.us@belimed.com

**China**

Belimed Medical Equipment  
 (Shanghai) Co., Ltd.  
 New Jinqiao Road #1299,  
 1st Building, 2nd Floor  
 201206 Pudong, Shanghai  
 Phone +86-21-601-909-98  
 info.cn@belimed.com

[www.belimed.com](http://www.belimed.com)

Represented by:

